

# Convertisseur Parallèle vers USB: DB25 mâle vers USB B mâle, LPT2USB, version internationale

Numéro d'article USB-0530-AK



## Description du produit

Convertisseur Parallèle vers USB: DB25 mâle vers USB B mâle (LPT-to-USB), adaptateur pour connecter une nouvelle imprimante (USB) à un port parallèle vieux (LPT)

## Key Features

- to use USB printers at parallel ports (LPT)
- LPT to USB cable
- DB25 male (connection PC)
- USB plug B (connection printer)
- no software or drivers required
- with power supply
- cable length 1.8 meter
- only for printing function

## LPT2USB cable

Adapter to connect printers and multifunction printers with an USB connection to the LPT(parallel) interface of PCs, measuring devices, laboratory and diagnostic devices, control panels, medical devices as well as all other products with a parallel interface.

### Connectors

1 x 25 pole SUB-D Plug IEEE-1284 - A

1 x USB-B plug

### Power supply

110-240V / 50/60Hz

Output 5Volt / about 100 mA

Cable length about 1.8m

### **USB - interface**

USB-1.0 Low-Speed

USB-1.1 Low/ Full-Speed

USB-2.0 Low / Full-Speed

Plug: USB - B

USB cable length about 1.8m

Low-Speed 1.5 MBit/sec

Full-Speed 12 MBit/sec

### **LPT (parallel) - interface**

01 Unidirectional

02 Bidirectional

03 1284.4 Bidirectional

Plug: 25 pole SUB-D IEEE-1284 - A

### **Funktion printing**

SPP

ECP

IEEE1284

IEEE1284.4

### **Bidirectional**

Nibble-Mode

Byte-Mode

ECP-Reverse

BECP-Reverse

### **Note**

For all operating systems. No drivers and no software are required.

Scanning, PC fax and software toolboxes are not supported.

GDI printer (without own emulation) are not supported.

## Plus d'images



With power supply for international use



USA



EU



UK



## LPT to USB

