Convertisseur Parallèle vers USB: DB25 mâle vers USB B mâle, LPT2USB, version internationale

Numéro d'article USB-0530-AK

Description du produit

Convertisseur Parallèle vers USB: DB25 mâle vers USB B mâle (LPT-to-USB), adaptateur pour connecter une nouvelle imprimante (USB) à un port parallèle vieux (LPT)

Key Features

- to use USB printers at parallel ports (LPT)
- LPT to USB cable
- DB25 male (connection PC)
- USB plug B (connection printer)
- no software or drivers required
- with power supply
- cable length 1.8 meter
- only for printing function

LPT2USB cable

Adapter to connect printers and multifunction printers with an USB connection to the LPT(parallel) interface of PCs, measuring devices, laboratory and diagnostic devices, control panels, medical devices as well as all other products with a parallel interface.

Connectors
1 x 25 pole SUB-D Plug IEEE-1284 - A
1 x USB-B plug

Power supply
110-240V / 50/60Hz
Output 5Volt / about 100 mA
Cable length about 1.8m

USB - interface
USB-1.0 Low-Speed
USB-1.1 Low/ Full-Speed

USB-2.0 Low / Full-Speed
Plug: USB - B
USB cable length about 1.8m
Low-Speed 1.5 MBit/sec
Full-Speed 12 MBit/sec

LPT (parallel) - interface
01 Unidirectional
02 Bidirectional
03 1284.4 Bidirectional
Plug: 25 pole SUB-D IEEE-1284 - A

Funktion printing
SPP
ECP
IEEE1284
IEEE1284.4

Bidirectional
Nibble-Mode
Byte-Mode
ECP-Reverve
BECP-Reverse

Note
For all operating systems. No drivers and no software are required.
Scanning, PC fax and software toolboxes are not supported.
GDI printer (without own emulation) are not supported.

Plus d'images