

# Câble USB 3.0 A vers B à visser, EXSYS EX-K1572V, 2m

Numéro d'article EX-K1572V

Longueur 2000mm



## Description du produit

Câble USB 3.0 A vers B à visser, EXSYS EX-K1572V, 2m

### Product information

Connection cable USB 3.2 Gen 1 A male and B male with thumbscrews. The USB 3.2 Gen 1 connection cable provides a consistently high data transfer rate of up to 5Gbps thanks to the combination of a high-quality cable construction and connectors with copper contacts.

The USB cable connects the computer that has a threaded A connector and the various EXSYS products that have threaded B connectors.

### Technical specification:

USB 3.2 Gen 1 (USB 3.0) Connector Cable.

Connectors: USB male A to USB male B screwable with thumbscrews.

Hi-Speed, up to 5Gbit/s data transfer rate

USB 3.2 Gen 1 standard, downward compatible to USB 2.0

Cable material and contacts made of 99.9% oxygen-free copper (OFC)

Cable diameter: 4.5 mm

Conductor cross section: AWG28

Space about knurled screw from the A-male connector its 19mm

Space about knurled screw from the B-male connector its 24mm

Shielding: braided and foil shielding

Color: Black

Length: 2.0ms

## Plus d'images



